

Table 33
Distance to the BioInitiative Report Recommendation Of 0.1 uW/cm2 (in feet)
(One Collector, 1C + 3 Smart Meters)

| Duty Cycle | One Collector | | | |
|------------|----------------------|------------------|------------------|------------------|
| | Table A9 | Table A10 | Table A11 | Table A12 |
| | 60% Reflection | 100% Reflection | 1000% Reflection | 2000% Reflection |
| 1% | 5.9' | 7.25' | 41' | 78' |
| 10% | 18.6' | 23.0' | 129' | 246' |
| 20% | 26.5' | 32.5' | 182' | 348' |
| 30% | 32.5' | 39.8' | 223' | 426' |
| 40% | 37.5' | 46.0' | 258' | 493' |
| 50% | 42.0' | 51.3' | 288' | 550' |
| 60% | 46.0' | 56.3' | 603' | 603' |
| 70% | 49.6' | 60.8' | 342' | 650' |
| 80% | 53.0' | 64.8' | 365' | 695' |
| 90% | 56.3' | 68.8' | 387' | 739' |
| 100% | 59.2' | 74.0' | 407' | 778' |

| Duty Cycle | 1C + 3 Smart Meters | | | |
|------------|----------------------------|------------------|------------------|------------------|
| | Table A13 | Table A14 | Table A15 | Table A16 |
| | 60% Reflection | 100% Reflection | 1000% Reflection | 2000% Reflection |
| 1% | 10.9' | 13.6' | 74.7' | 142' |
| 10% | 34.3' | 42.8' | 236' | 450' |
| 20% | 48.5' | 60.5' | 333' | 673' |
| 30% | 58.5' | 74.3' | 408' | 780' |
| 40% | 68.5' | 85.6' | 471' | 900' |
| 50% | 76.5' | 96.0' | 526' | 1005' |
| 60% | 84.0' | 105' | 577' | 1100' |
| 70% | 90.7' | 114' | 625' | 1190' |
| 80% | 97.0' | 121' | 666' | 1160' |
| 90% | 103' | 129' | 707' | 1275' |
| 100% | 108' | 136' | 745' | 1420' |

Exceeds the BioInitiative Recommendation of 0.1 uW/cm2 at this distance (in feet)

Table 33
Distance to the BioInitiative Report Recommendation Of 0.1 uW/cm² (in feet)
(One Collector, 1C + 3 Smart Meters)

Table 33
Distance to the BioInitiative Report Recommendation Of 0.1 $\mu\text{W}/\text{cm}^2$ (in feet)
(One Collector, 1C + 3 Smart Meters)